

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1381	(607/119,122).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 14:21
S2	1192	S1 and @ad<="20011016"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 14:51
S3	59	(guidewire guide-wire guide adj wire) with (within in) with lead with (cardiac heart pace pacer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 14:30
S4	28	("3333045"   "4281668"   "4311153"   "4483577"   "4748986"   "4750494"   "4895168"   "4922927"   "4928688"   "4957110"   "4966599"   "5099838"   "5165403"   "5261417"   "5269319"   "5466254"   "5476498"   "5509411"   "5531781"   "5545204"   "5639276"   "5674273"   "5755766"   "5803928"   "5935160"   "5971983"   "6138043").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 14:49
S5	694	(stylet obturator) with (coil spring) with (distal end tip)	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/01 14:49
S6	794	(stylet obturator) with (coil spring) with (distal end tip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 14:49
S7	208	(stylet obturator) with (coil spring) with (distal end tip) and (cardiac heart pace pacing) with lead	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/01 14:50
S8	3168	((600/373,374,375,585,433,434) or (604/164.01,164.13,170.01)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 14:50

S9	173	S7 and @ad<="20011016" and rlad@<="20011016"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:48
S10	6	("0623022"   "2221138"   "3630190"   "3683932").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 15:38
S11	27	("4498482").URPN.	USPAT	OR	OFF	2004/12/01 15:47
S12	1371	(600/585).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:47
S13	322	S12 and handle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:47
S14	269	S13 and @ad<="20011016" and rlad@<="20011016"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:48
S15	269	S13 and @ad<="20011016"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:48
S16	128	S13 and @rlad<="20011016"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/01 15:48
S17	9	("4538622"   "5147317"   "5308324"   "5365942"   "5673707"   "5682894"   "5797856"   "5865768"   "5957842").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 16:00~

S18	38	("4003369"   "4548206"   "4619274"   "4917102"   "4932419"   "4934380"   "4994069"   "5001825"   "5069217"   "5108407"   "5122136"   "5131406"   "5171383"   "5178158"   "5184621"   "5184627"   "5217484"   "5234003"   "5234437"   "5238004"   "5243996"   "5250071"   "5373619"   "5376083"   "5411476"   "5419339"   "5488959"   "5546948"   "5643278"   "5645064"   "5690666"   "5695483"   "5720300"   "5725534"   "5759161"   "5800455"   "5957940"   "5984877").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 16:04
S19	0	600/585.ccls. and control with nob	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 09:27
S20	0	600/585.ccls. and steer\$ with nob	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/01 16:11
S21	0	600/585.ccls. and steer\$ with nob	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 09:22
S22	2	("4,573,470").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 09:22
S23	55	600/585.ccls. and (steer\$ control) with knob	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 09:28
S24	62	("4867173").URPN.	USPAT	OR	OFF	2004/12/02 09:32
S25	9	("2118631"   "3547103"   "3789841"   "4020829"   "4538622"   "4545390"   "4548206").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 09:32
S26	8	("4832648"   "5257635"   "5423811"   "5500012"   "5509411"   "5517989"   "5545161"   "5549109").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 10:41
S27	6	("0623022"   "2221138"   "3630190"   "3683932").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 11:34

S28	8	("3416533"   "3572333"   "4046151"   "4103690"   "4114626"   "4142531").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 11:37
S29	8	("4253462").URPN.	USPAT	OR	OFF	2004/12/02 11:42
S30	27	(guide adj wire stylet obturator guide-wire guidewire) with (spring coil) with (taper tapered) with (distal tip end) and (control steer\$ turn twist) with (nob knob handle)	USPAT	OR	ON	2004/12/02 11:50
S31	28	("3333045"   "4281668"   "4311153"   "4483577"   "4748986"   "4750494"   "4895168"   "4922927"   "4928688"   "4957110"   "4966599"   "5099838"   "5165403"   "5261417"   "5269319"   "5466254"   "5476498"   "5509411"   "5531781"   "5545204"   "5639276"   "5674273"   "5755766"   "5803928"   "5935160"   "5971983"   "6138043").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 11:48
S32	240	600/585,434,433.ccls. and (taper tapered) with (distal tip end) with (spring coil helical)	USPAT	OR	ON	2004/12/02 12:16
S33	19	("20020095102"   "3973556"   "4534363"   "4619274"   "4748986"   "4884579"   "5001825"   "5107852"   "5108368"   "5111829"   "5238004"   "5259393"   "5303714"   "5333620"   "5433200"   "5622184"   "5840046"   "6042876"   "6329069").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 11:51
S34	19	("20020095102"   "3973556"   "4534363"   "4619274"   "4748986"   "4884579"   "5001825"   "5107852"   "5108368"   "5111829"   "5238004"   "5259393"   "5303714"   "5333620"   "5433200"   "5622184"   "5840046"   "6042876"   "6329069").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 11:57
S35	11	("3789841"   "4215703"   "4456017"   "4538622"   "4545390"   "4554929"   "4586923"   "4619274"   "4676249"   "4719924"   "4724846").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 12:13

S36	136	600/585,434,433.ccls. and (spring coil helical) with diameter with (less lesser small smaller) with (core wire)	USPAT	OR	ON	2004/12/02 12:57
S37	10	("3789841"   "4545390"   "4934380"   "4998923"   "5095915"   "5163445"   "5315996"   "5404887"   "5406960"   "5437288").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 13:10
S38	5	("3452740"   "3547103"   "3612058").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/02 13:11
S39	4	((("4,619,274") or ("5,507,301"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 14:25
S40	2	("5755766").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 08:57